

# STAT Testing Requisition Form

Please complete every field and tick box clearly.

## PATIENT INFORMATION

|                      |                      |   |
|----------------------|----------------------|---|
| <input type="text"/> | <input type="text"/> | <input type="text" value="MM/DD/YYYY"/> |
| Patient's First Name | Middle Initial       | Patient's Date of Birth                 |

|                      |                      |
|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> |
| Patient's Last Name  | Patient ID/MR Number |

Biological Sex:  Male  Female  Unknown  
 Gender Identity (if different from above):

Patient's Street Address

|                      |                      |                      |
|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> |
| City / Town          | State                | Zip Code             |

|                      |                           |
|----------------------|---------------------------|
| <input type="text"/> | <input type="text"/>      |
| Country              | Patient's Preferred Phone |

Patient's Email

Ethnicity (check all that apply):

|   |  |
|---|--|
| <input type="radio"/> African-American                              | <input type="radio"/> Asian (China, Japan, Korea)                        |
| <input type="radio"/> Caucasian/N. European/S. European             | <input type="radio"/> Finnish  |
| <input type="radio"/> Hispanic                                      | <input type="radio"/> French Canadian                                    |
| <input type="radio"/> Jewish - Ashkenazi                            | <input type="radio"/> Jewish - Sephardic                                 |
| <input type="radio"/> Mediterranean                                 | <input type="radio"/> Middle Eastern (Saudi Arabia, Qatar, Iraq, Turkey) |
| <input type="radio"/> Native American                               | <input type="radio"/> E. Indian  |
| <input type="radio"/> Southeast Asian (Vietnam, Cambodia, Thailand) | <input type="radio"/> South Asian (India, Pakistan)                      |
| <input type="radio"/> Other (specify) <input type="text"/>          |  |

## ORDERING PROVIDER

Provider's First and Last Name

|                                       |                      |
|---------------------------------------|----------------------|
| <input type="text"/>                  | <input type="text"/> |
| PKIG Ordering Provider Account Number | NPI                  |

Clinic/Hospital/Institution Name

|                      |                      |
|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> |
| Provider's Email     | Provider's Phone     |

Provider's Street Address

|                      |                      |                      |
|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> |
| City / Town          | State                | Zip Code             |

|                      |                      |
|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> |
| Country              | Provider's Fax       |

## SEND ADDITIONAL COPY OF RESULTS TO (If applicable)

Name

|                                       |                      |
|---------------------------------------|----------------------|
| <input type="text"/>                  | <input type="text"/> |
| PKIG Ordering Provider Account Number | Phone Number         |

|                      |                      |
|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> |
| Email Address        | Fax Number           |

## PHYSICIAN CONFIRMATION OF INFORMED CONSENT AND MEDICAL NECESSITY

The undersigned person (or representative thereof) certifies he/she is a licensed medical professional authorized to order genetic testing and confirms that the patient has given appropriate informed consent for the testing ordered, including a discussion of the benefits and limitations. I confirm that testing is medically necessary and that test results may impact medical management for the patient. Furthermore, all information on this TRF is true to the best of my knowledge. My signature applies to the informed consent and/or attached letter of medical necessity.

Signature \_\_\_\_\_ Date \_\_\_\_\_

## PATIENT SAMPLE INFORMATION

**SAMPLE TYPE:**  Saliva Swab  Whole Blood  Dried Blood Spots  Other \_\_\_\_\_

Collection Date:

Was this sample collected in NY State:  yes  no

## INDICATION FOR TESTING (Required)

ICD10 Code(s): \_\_\_\_\_  
 Clinical Diagnosis: \_\_\_\_\_  
 Age at Initial Presentation: \_\_\_\_\_

## TEST MENU

**STAT Curated Panel by clinical indication**  
 Choose any of our multigene disease-specific next-generation sequencing panels (no reflex options). Clinical indications include neuromuscular, neurology, cardiology, hereditary cancer, and other categories such as hearing loss and ophthalmology. Log into ordering portal to select the correct panel at <https://client.perkinelmergenomics.com/login/>

**TO ORDER ON PAPER:**  
 Test code: \_\_\_\_\_ F \_\_\_\_\_  
 Test name: \_\_\_\_\_

## STAT Whole Exome Sequencing Testing Options

- D1010 STAT Exome – Proband Only
- D1310 STAT Exome – TRIO (Proband Report Only)\*
- D1311 STAT Exome – TRIO (Proband and Family Member Reports)\*

## STAT Whole Genome Sequencing Testing Options

- D2010 STAT Genome – Proband Only
- D2310 STAT Genome – TRIO (Proband Report Only)\*
- D2311 STAT Genome – TRIO (Proband and Family Member Reports)\*

## STAT Custom Panel

- D3000S AnyPanel™: Custom Panel  
 Please submit custom requested gene list for testing at [apps.perkinelmergenomics.com/genelist](https://apps.perkinelmergenomics.com/genelist), and include custom panel ID below

## PROVIDE CUSTOM PANEL ID HERE:

**Other STAT Testing Options** Note: Please use STAT Prenatal Testing Requisition for prenatal samples.

Test code: \_\_\_\_\_ F \_\_\_\_\_  
 Test name: \_\_\_\_\_

**!** \* Please fill out family member section below. **Additional samples MUST be received within 3 weeks.**

## FAMILIAL INFORMATION (Required with ALL TRIO orders)

**FAMILY MEMBER 1:**

Last name, First name  
 Date of Birth:  Relation to Proband: \_\_\_\_\_  
 Symptomatic (clinically affected)?  yes  no  
 Sample:  Included - Collection Date   To be sent later

**FAMILY MEMBER 2:**

Last name, First name  
 Date of Birth:  Relation to Proband: \_\_\_\_\_  
 Symptomatic (clinically affected)?  yes  no  
 Sample:  Included - Collection Date   To be sent later

| FOR INTERNAL USE ONLY |       |     |        |     |
|-----------------------|-------|-----|--------|-----|
| Date Rec'd            | Rec'd |     |        |     |
| TEMP                  | SPEC  | COL | #TUBES | VOL |
| R/C/F                 |       |     |        |     |
| R/C/F                 |       |     |        |     |
| R/C/F                 |       |     |        |     |



# STAT Testing Requisition Form

## ■ INSTITUTIONAL BILLING

Institution/Organization Name

PerkinElmer Genomics Billing Account ID

Contact Name

Contact Phone

## ■ PATIENT (SELF) PAYMENT

By providing payment information, you are authorizing PerkinElmer to process payment at the associated charge for tests ordered. Test cost may be confirmed by calling 877-475-4436. Payment is required prior to test initiation. The patient's sample will be placed on hold (for up to 30 days) until payment is secured. If the patient does not provide payment to PerkinElmer within 30 days, the test order may be canceled. Please note that failure by the patient to respond in a timely fashion to PerkinElmer's attempts to obtain payment may cause a delay in the receipt of the results report.

**CHECK:** \$ \_\_\_\_\_ Amount Enclosed (Please make checks payable to: PerkinElmer Genetics, Inc.)

**CREDIT CARD** (Please fill out all information):

Credit Card Number

Card Exp. Date

CVV

Cardholder Printed Name as Appears on Card

Amount

Credit Card Billing Street Address

City / Town

State

Zip Code

Cardholder Signature

Cardholder Phone

**CONTACT PATIENT FOR PAYMENT INFORMATION**

Mobile Phone

Home Phone

Email Address

## STAT Testing Requisition Form

**DETAILED MEDICAL RECORDS, CLINICAL SUMMARY, PICTURES AND FAMILY HISTORY MUST BE ATTACHED FOR ALL CASES.  
CLINICAL INFORMATION IS CRUCIAL FOR ACCURATE INTERPRETATION OF RESULTS.**

**ADDITIONAL OPTIONAL PHENOTYPE / PATIENT HISTORY SECTION (Check all that apply)**

Clinical diagnosis: \_\_\_\_\_

Age of manifestation: \_\_\_\_\_ ICD-10 Codes: \_\_\_\_\_

|  |  |   |  |
|--|--|---|--|
| <p><b>A. NEUROLOGY</b></p> <p><b>1. Behavioral abnormality</b></p> <p><input type="checkbox"/> 1.1 Autism</p> <p><input type="checkbox"/> 1.2 Attention deficit disorder</p> <p><input type="checkbox"/> 1.3 Psychiatric diseases</p> <p><b>2. Brain imaging</b></p> <p><input type="checkbox"/> 2.1 Abnormal myelination</p> <p><input type="checkbox"/> 2.2 Abnormal cortical gyration</p> <p><input type="checkbox"/> 2.3 Agenesis of corpus callosum</p> <p><input type="checkbox"/> 2.4 Brain atrophy</p> <p><input type="checkbox"/> 2.5 Cerebellar hypoplasia</p> <p><input type="checkbox"/> 2.6 Heterotopia</p> <p><input type="checkbox"/> 2.7 Holoprosencephaly</p> <p><input type="checkbox"/> 2.8 Hydrocephalus</p> <p><input type="checkbox"/> 2.9 Leukodystrophy</p> <p><input type="checkbox"/> 2.10 Lissencephaly</p> <p><b>3. Developmental delay</b></p> <p><input type="checkbox"/> 3.1 Delayed motor development</p> <p><input type="checkbox"/> 3.2 Delayed language development</p> <p><input type="checkbox"/> 3.3 Developmental regression</p> <p><input type="checkbox"/> 3.4 Intellectual disability</p> <p><b>4. Movement abnormality</b></p> <p><input type="checkbox"/> 4.1 Ataxia</p> <p><input type="checkbox"/> 4.2 Chorea</p> <p><input type="checkbox"/> 4.3 Dystonia</p> <p><input type="checkbox"/> 4.4 Parkinsonism</p> <p><b>5. Neuromuscular abnormality</b></p> <p><input type="checkbox"/> 5.1 Muscular hypotonia</p> <p><input type="checkbox"/> 5.2 Muscular hypertonia</p> <p><input type="checkbox"/> 5.3 Hyperreflexia</p> <p><input type="checkbox"/> 5.4 Spasticity</p> <p><b>6. Seizures</b></p> <p><input type="checkbox"/> 6.1 Febrile seizures</p> <p><input type="checkbox"/> 6.2 Focal seizures</p> <p><input type="checkbox"/> 6.3 Generalized seizures</p> <p><b>7. Others</b></p> <p><input type="checkbox"/> 7.1 Craniosynostosis</p> <p><input type="checkbox"/> 7.2 Dementia</p> <p><input type="checkbox"/> 7.3 Encephalopathy</p> <p><input type="checkbox"/> 7.4 Headache / Migraine</p> <p><input type="checkbox"/> 7.5 Macrocephaly</p> <p><input type="checkbox"/> 7.6 Microcephaly</p> <p><input type="checkbox"/> 7.7 Neuropathy</p> <p><input type="checkbox"/> 7.8 Stroke</p> | <p><b>B. METABOLISM</b></p> <p><input type="checkbox"/> 1. Abnormal creatine kinase</p> <p><input type="checkbox"/> 2. Decreased plasma carnitine</p> <p><input type="checkbox"/> 3. Hyperalaninemia</p> <p><input type="checkbox"/> 4. Hypoglycemia</p> <p><input type="checkbox"/> 5. Increased CSF lactate</p> <p><input type="checkbox"/> 6. Increased serum pyruvate</p> <p><input type="checkbox"/> 7. Ketosis</p> <p><input type="checkbox"/> 8. Lactic acidosis</p> <p><input type="checkbox"/> 9. Organic aciduria</p> <p><b>C. EYE</b></p> <p><input type="checkbox"/> 1. Blepharospasm</p> <p><input type="checkbox"/> 2. Cataract</p> <p><input type="checkbox"/> 3. Coloboma</p> <p><input type="checkbox"/> 4. Glaucoma</p> <p><input type="checkbox"/> 5. Microphthalmos</p> <p><input type="checkbox"/> 6. Nystagmus</p> <p><input type="checkbox"/> 7. Ophthalmoplegia</p> <p><input type="checkbox"/> 8. Optic atrophy</p> <p><input type="checkbox"/> 9. Ptosis</p> <p><input type="checkbox"/> 10. Retinitis pigmentosa</p> <p><input type="checkbox"/> 11. Retinoblastoma</p> <p><input type="checkbox"/> 12. Strabismus</p> <p><input type="checkbox"/> 13. Visual impairment</p> <p><b>D. MOUTH, THROAT AND EAR</b></p> <p><input type="checkbox"/> 1. Abnormality of dental color</p> <p><input type="checkbox"/> 2. Cleft lip / palate</p> <p><input type="checkbox"/> 3. Conductive hearing impair.</p> <p><input type="checkbox"/> 4. External ear malformation</p> <p><input type="checkbox"/> 5. Hypodontia</p> <p><input type="checkbox"/> 6. Sensorineural hearing impair.</p> <p><b>E. SKIN, INTEGUMENT AND SKELETAL</b></p> <p><b>1. Skeletal</b></p> <p><input type="checkbox"/> 1.1 Abnormal limb morphology</p> <p><input type="checkbox"/> 1.2 Abnormal skeletal system</p> <p><input type="checkbox"/> 1.3 Abnormal vertebral column</p> <p><input type="checkbox"/> 1.4 Joint hypermobility</p> <p><input type="checkbox"/> 1.5 Multiple joint contractures</p> <p><input type="checkbox"/> 1.6 Polydactyly</p> <p><input type="checkbox"/> 1.7 Scoliosis</p> <p><input type="checkbox"/> 1.8 Syndactyly</p> <p><input type="checkbox"/> 1.9 Talipes equinovarus</p> <p><b>OTHER:</b></p> | <p><b>2. Skin and integument</b></p> <p><input type="checkbox"/> 2.1 Abnormal skin pigmentation</p> <p><input type="checkbox"/> 2.2 Abnormal hair</p> <p><input type="checkbox"/> 2.3 Abnormal nail</p> <p><input type="checkbox"/> 2.4 Hyperextensible skin</p> <p><input type="checkbox"/> 2.5 Ichthyosis</p> <p><b>F. CARDIOVASCULAR</b></p> <p><input type="checkbox"/> 1. Angioedema</p> <p><input type="checkbox"/> 2. Aortic dilatation</p> <p><input type="checkbox"/> 3. Arrhythmia</p> <p><input type="checkbox"/> 4. Coarctation of aorta</p> <p><input type="checkbox"/> 5. Defect of atrial septum</p> <p><input type="checkbox"/> 6. Defect of ventricular septum</p> <p><input type="checkbox"/> 7. Dilated cardiomyopathy</p> <p><input type="checkbox"/> 8. Hypertension</p> <p><input type="checkbox"/> 9. Hypertrophic cardiomyopathy</p> <p><input type="checkbox"/> 10. Hypotension</p> <p><input type="checkbox"/> 11. Lymphedema</p> <p><input type="checkbox"/> 12. Malf. of heart and great vessels</p> <p><input type="checkbox"/> 13. Myocardial infarction</p> <p><input type="checkbox"/> 14. Stroke</p> <p><input type="checkbox"/> 15. Tetralogy of Fallot</p> <p><input type="checkbox"/> 16. Vasculitis</p> <p><b>G. GASTROINTESTINAL, GENITOURINARY, ENDOCRINE</b></p> <p><b>1. Gastrointestinal</b></p> <p><input type="checkbox"/> 1.1 Aganglionic megacolon</p> <p><input type="checkbox"/> 1.2 Constipation</p> <p><input type="checkbox"/> 1.3 Diarrhea</p> <p><input type="checkbox"/> 1.4 High hepatic transaminases</p> <p><input type="checkbox"/> 1.5 Gastroschisis</p> <p><input type="checkbox"/> 1.6 Hepatic failure</p> <p><input type="checkbox"/> 1.7 Hepatomegaly</p> <p><input type="checkbox"/> 1.8 Obesity</p> <p><input type="checkbox"/> 1.9 Pyloric stenosis</p> <p><input type="checkbox"/> 1.10 Vomiting</p> <p><b>2. Genitourinary</b></p> <p><input type="checkbox"/> 2.1 Abnormal renal morphology</p> <p><input type="checkbox"/> 2.2 Abnormal urinary system</p> <p><input type="checkbox"/> 2.3 Hydronephrosis</p> <p><input type="checkbox"/> 2.4 Renal agenesis</p> <p><input type="checkbox"/> 2.5 Renal cyst</p> <p><input type="checkbox"/> 2.6 Renal tubular dysfunction</p> | <p><b>3. Endocrine</b></p> <p><input type="checkbox"/> 3.1 Diabetes mellitus</p> <p><input type="checkbox"/> 3.2 Hypo / hyperparathyroidism</p> <p><input type="checkbox"/> 3.3 Hypo / hyperthyroidism</p> <p><b>H. REPRODUCTION</b></p> <p><input type="checkbox"/> 1. Abnormal external genitalia</p> <p><input type="checkbox"/> 2. Abnormal internal genitalia</p> <p><input type="checkbox"/> 3. Hypogonadism</p> <p><input type="checkbox"/> 4. Hypospadias</p> <p><input type="checkbox"/> 5. Infertility</p> <p><b>I. ONCOLOGY</b></p> <p><input type="checkbox"/> 1. Adenomatous polyposis</p> <p><input type="checkbox"/> 2. Breast carcinoma</p> <p><input type="checkbox"/> 3. Colorectal carcinoma</p> <p><input type="checkbox"/> 4. Leukemia</p> <p><input type="checkbox"/> 5. Myelofibrosis</p> <p><input type="checkbox"/> 6. Neoplasm of the lung</p> <p><input type="checkbox"/> 7. Neoplasm of the skin</p> <p><input type="checkbox"/> 8. Paraganglioma</p> <p><input type="checkbox"/> 9. Pheochromocytoma</p> <p><b>J. HEMATOLOGY AND IMMUNOLOGY</b></p> <p><input type="checkbox"/> 1. Abnormality of coagulation</p> <p><input type="checkbox"/> 2. Anemia</p> <p><input type="checkbox"/> 3. Immunodeficiency</p> <p><input type="checkbox"/> 4. Neutropenia</p> <p><input type="checkbox"/> 5. Pancytopenia</p> <p><input type="checkbox"/> 6. Abnormal hemoglobin</p> <p><input type="checkbox"/> 7. Splenomegaly</p> <p><input type="checkbox"/> 8. Thrombocytopenia</p> <p><b>K. PRENATAL AND DEVELOPMENT</b></p> <p><input type="checkbox"/> 1. Dysmorphic facial features</p> <p><input type="checkbox"/> 2. Failure to thrive</p> <p><input type="checkbox"/> 3. Hemihypertrophy</p> <p><input type="checkbox"/> 4. Hydrops fetalis</p> <p><input type="checkbox"/> 5. IUGR</p> <p><input type="checkbox"/> 6. Oligohydramnios</p> <p><input type="checkbox"/> 7. Overgrowth</p> <p><input type="checkbox"/> 8. Polyhydramnios</p> <p><input type="checkbox"/> 9. Premature birth</p> <p><input type="checkbox"/> 10. Short stature</p> <p><input type="checkbox"/> 11. Tall stature</p> |
|--|--|---|--|

PerkinElmer Genetics, Inc., (“PerkinElmer”) requires a completed Patient’s Informed Consent Form (ICF) for testing to be performed. The ICF must be completed by the patient, or a legally authorized representative of the patient (or by the healthcare provider where permitted under applicable law or regulation). For any patient below the age of majority, the ICF must be completed by the patient’s legally authorized representative.

The purpose of this ICF is to provide you with a description of the Test ordered, known risks and benefits of the Test, anonymization of personal health information (“PHI”), sample and data retention, research opportunities, and the reporting of secondary findings, if applicable. Given the complexity of the type of the Test, it is recommended that you and/or your child receive genetic counseling by a trained genetics professional before and after the testing is performed.

## TEST INFORMATION

Your healthcare provider (“HCP”) has recommended that you, or your child, receive enzymatic, biochemical or molecular genetics clinical testing (“Test”) indicated on the submitted Test Requisition Form (“Requisition”). For more information on the reasons your HCP has ordered the Test, and the disorders your HCP is having you tested for, please consult with your HCP. You are free to decide if you want this Test performed or not. Providing a Sample and undergoing the Test is voluntary and you may withdraw your consent without penalty at any time.

**Enzyme/Biomarker Test:** This type of test measures the presence or absence of enzymes/biomarkers and/or their level of activity in an individual. Only the enzymes/biomarkers identified on the requisition will be tested. Results from this type of Test may indicate the presence of a specific condition or conditions, and follow-up confirmatory testing may be recommended.

**Genetic/Genomic Test:** This type of Test analyzes one or more segments of your DNA depending on the assay requested. This Test is used to identify what, if any, DNA variant(s) you or your child is carrying which is causing the specific disease or condition you are being tested for. Identifying the mutation may be useful for diagnostic and treatment purposes, and allows at-risk family members to be tested. Only the genes identified on the Requisition will be analyzed. In some cases, we may not be able to determine with certainty which gene is actually causing the disease.

## TEST METHOD

If you consent to the Test, your HCP will take a sample of your and/or your child’s blood, saliva, body fluid, tissue or other sample type. Your Sample will be sent to PerkinElmer’s laboratories in the United States for the Test; the majority of testing will be performed at our laboratory headquarters in Pittsburgh, PA.

Under some circumstances, including inadequate or poor quality sample, an additional Sample may be required for Tests to be performed.

## TEST RESULTS

Your treating HCP has sole responsibility for all decisions concerning the possible management of your diagnosis and disease; PerkinElmer will not provide a diagnosis. PerkinElmer will report Test results only to your HCP via secure email, a secure internet portal, or fax. Your HCP is responsible for communicating with you regarding the results of the Test and may refer you or your child to a specialist for further clinical evaluation and confirmation of diagnosis, if applicable. Possible results for Genetic/Genomic Tests include:

- Positive:** A positive genetic test result may indicate that you are a carrier of, predisposed to, or have the specific disease or condition being tested for. A positive genetic test may limit your access to health insurance or life assurance coverage; for example, a life insurance company might ask you to provide genetic information indicating a disorder if this information is available to you.
- Negative:** A negative result indicates that no disease-causing variant was identified in the Test performed. No Test can rule out all genetic diseases or conditions. A negative result does not guarantee that you are free from genetic disorders or other medical conditions.
- Inconclusive/Variant of Uncertain Significance:** A variant of uncertain significance (VOUS) result indicates that a DNA change was detected, but it is currently unknown if the variant is associated with a genetic disorder. A VOUS is not the same as a positive result and does not clarify whether there is an increased risk to develop a genetic disorder. The variant could be a benign change or it could be indicative of disease/disease-causing.
- Unexpected Results:** In rare instances, this Test may reveal an important genetic change that is not directly related to the reason for ordering this test. This information would be disclosed to your HCP if it potentially impacts medical care, and you have consented to receive this type of result

## TEST REPORT

Reported disease-causing variants are described as pathogenic variant(s), likely pathogenic variant(s), or variant(s) of uncertain significance in genes interpreted to be responsible for, or potentially contributing to, a disease or condition. In addition, variants in genes not known to be associated with disease but for which there is evidence to suggest an association with disease may also be reported. For testing performed on prenatal samples or for screening of apparently healthy individuals, only variants classified as pathogenic or likely pathogenic will be reported.

When Whole Exome Sequencing (WES) or Whole Genome Sequencing (WGS) tests are ordered by your HCP, you have the option to receive some findings not directly related to the reason for ordering the Test called “Secondary Findings”. When Secondary Findings are requested, only Pathogenic or Likely Pathogenic findings will be reported, where applicable. Please read the Secondary Findings sections on page 3 and/or 4 of this consent form for more information, and available reporting options. For prenatal samples, secondary findings for the proband are not available.

## INFORMATION ABOUT PARENTAL AND FAMILIAL SAMPLES

In some circumstances, it may be helpful for additional family members to undergo testing in order to provide information that can aid in the interpretation of the WES/WGS test results. These Tests could be part of a TRIO Test or as stand-alone targeted testing. PerkinElmer, in consultation with the HCP, will decide if other family members need to be tested. If the HCP recommends testing for additional family members, only the Test performed will be reported. If undergoing a TRIO WES or WGS test, family members will have the option to receive information about secondary findings either as a part of the proband report or as a standalone parental report. A full analysis of the parental samples for secondary findings will only be completed if standalone reports are selected (for an additional charge). If family members elect to receive information about secondary findings either as part of the proband report or as a standalone report, the family member must sign all applicable sections on page 3 and/or 4 of this form.

## TEST LIMITATIONS

Due to current limitations in technology and incomplete knowledge of diseases and genes, some variants may not be detected by the Test ordered. There is a possibility that the Test result that is uninterpretable or of unknown significance may require further testing when more information is gained. In rare circumstances, Test results may be suggestive of a condition different from that which was originally considered for the purpose of consenting to this Test. The Test may also find variants or genes that lead to conditions for which you currently do not have symptoms or may not be related to your current condition.

## TEST RISKS

Patients and family members may experience anxiety before, during, and/or after testing. Testing multiple family members may reveal that familial relationships are not biologically what they were assumed to be. For example, the Test may indicate non-paternity (the stated father of an individual is not the biological father) or consanguinity (the parents of an individual are closely related by blood). These biological relationships may need to be reported to the HCP who ordered the test.

Taking a blood or tissue sample from you and/or your child may lead to mild pain, bruising, swelling, redness, and a slight risk of infection. Light-headedness, fainting or nausea may occur if your HCP collects blood or tissue samples. These side-effects are typically brief and transient, but you should contact your HCP if you and/or your child require treatment. Under some circumstances an additional sample may be required for Tests to be performed.

A positive test result may limit your access to health insurance or life assurance coverage; for example, a life insurance company might ask you to provide genetic information indicating a disorder if this information is available to you. Please refer to information on the Genetic Information Nondiscrimination Act (GINA) and applicable local laws for more information.

**CONFIDENTIALITY**

You have the right to confidential treatment of the Sample and your PHI. Your HCP will provide PerkinElmer with Personal Health Information (“PHI”) such as your name, date of birth, gender and clinical symptoms to help track your sample and report results. To maintain confidentiality, the test results will only be released to the referring health care provider, to the ordering laboratory, to the patient/guardian, to other health care providers involved in your diagnosis and treatment, or as otherwise required by law or regulation. Unless required by law, PerkinElmer will not disclose your PHI to any person or entity except with your written consent.

You and your HCP can control how your Sample and PHI are processed. You have the right to request access to your PHI, request corrections of any errors in recorded PHI, or where PHI may be missing or incomplete ask that it be completed. You also have the right to ask that your PHI be erased, subject to law or regulation. You can contact your HCP for such requests and your HCP will contact PerkinElmer, or you can contact PerkinElmer directly by visiting [www.perkinelmergenomics.com](http://www.perkinelmergenomics.com). If requests for access, correction, completion, or erasure cannot be fulfilled, you will be informed and provided with the reasons why your requests cannot be fulfilled.

**SAMPLE AND DATA RETENTION**

Pursuant to laboratory best practices, your DNA sample will be retained by PerkinElmer for a minimum of two years and then destroyed. Additionally, your PHI, the data from the Tests (including those performed before any withdrawal of consent) and the related reports will be retained by PerkinElmer indefinitely, unless otherwise noted. In some instances, it may be beneficial to you for PerkinElmer to retain your sample for a longer period of time in order to conduct additional testing, and PerkinElmer will do so with appropriate documentation from you or your HCP.

PerkinElmer is requesting consent to keep you and/or your child’s anonymized sample and data indefinitely for ongoing test development, scientific research, and/or other activities. This consent is optional, and the Test will be performed whether or not you provide consent to the following:

- PerkinElmer will anonymize and retain your Sample indefinitely for internal quality control, test validation, assay development and improvement. By allowing PerkinElmer to retain your Sample, you understand and agree that you give up any property rights you may have in the Sample and are donating it to PerkinElmer Genetics, Inc. If you withdraw your consent to use of your anonymized sample, no further anonymization will be performed.
  - Check here if you would like to opt out of anonymized sample retention (NY State residents, please see section below). Note, if not checked, this is interpreted as “consent given”
- PerkinElmer will anonymize your data and retain the anonymized data and related anonymized reports from your Tests indefinitely for statistical and quality analysis, research, scientific and technical development, and market research. PerkinElmer may also share your anonymized data and anonymized report with third parties.
  - Check here if you would like to opt out of anonymized data retention. Note, if not checked, this is interpreted as “consent given”

**REQUIRED FOR SAMPLES COLLECTED IN NEW YORK STATE ONLY**

No tests other than those authorized shall be performed on the biological sample submitted for testing, and any material derived from the sample (i.e., DNA); this includes testing for internal research and/or quality control purposes. The sample shall be destroyed no more than 60 days after the sample was taken or at the end of the testing process, whichever occurs later, unless indicated below.

By checking here and signing at right, I consent to PerkinElmer keeping my sample for longer than 60 days, and to using my de-identified sample for internal research and/or quality control purposes. Note, if not checked and signed, this is interpreted as “consent not given.” \_\_\_\_\_ Patient/Guardian Signature

**RESEARCH OPTIONS**

PerkinElmer may collaborate with scientists, researchers and drug developers to advance knowledge of genetic diseases. If there are opportunities to participate in future research relevant to the disease in you and/or your child, PerkinElmer may contact you or your HCP about the development of new testing, drug development, or other treatments. PerkinElmer may also work with scientists or researchers from academic or commercial institutions who have received the necessary approvals to conduct a research study. In some instances, these scientists or researchers may like to contact you directly about your interest in participating in a specific research study.

By checking here I would like to opt out of PerkinElmer being able to provide my contact information to outside researchers to contact me directly about applicable research studies.

**WITHDRAWAL OF CONSENT**

I understand this consent is voluntary and is valid until I withdraw my consent. I understand I may withdraw my consent to sample and data retention, and to the Test at any time, that PerkinElmer will not perform the Test unless I provide consent to the Test. If I withdraw any consent, it will not affect actions taken before I withdrew my consent, including any anonymization of data or of my Sample. I understand that if I wish to withdraw my consent I should contact PerkinElmer via email at: [Genomics@perkinelmer.com](mailto:Genomics@perkinelmer.com) or toll-free by telephone +1-866-354-2910 to request withdrawal.

**PATIENT CONSENT TO TESTING**

By checking this box I attest:  
I have read and understood the Informed Consent Form in its entirety, including the explanation of why my sample is being tested, how genetic testing is performed and the risks associated with genetic testing. I have had the opportunity to ask my HCP questions about the information contained herein, and understand that I am entitled to a copy of this ICF. My signature below acknowledges my free consent to the Test, and to any additional consents indicated above, and such testing in no way guarantees my health, the health of an unborn child, or the health of other family members.

\_\_\_\_\_  
Patient Signature (or Parent/Guardian if patient is minor) \_\_\_\_\_ Date  
\_\_\_\_\_  
Patient Name \_\_\_\_\_ Name and Relationship (Parent/Guardian if patient is minor)

**FAMILY MEMBER CONSENT TO TESTING (if applicable)**

By checking this box I attest: I have read and understood the Informed Consent Form in its entirety, including the explanation of why my sample is being tested, how genetic testing is performed and the risks associated with genetic testing. I have had the opportunity to ask my HCP questions about the information contained herein, and understand that I am entitled to a copy of this ICF. My signature below acknowledges my free consent to the Test, and to any additional consents indicated above, and such testing in no way guarantees my health, the health of an unborn child, or the health of other family members.

\_\_\_\_\_  
Family Member Signature \_\_\_\_\_ Date \_\_\_\_\_ Family Member Name \_\_\_\_\_ Relationship to Patient

**FAMILY MEMBER CONSENT TO TESTING (if applicable)**

By checking this box I attest: I have read and understood the Informed Consent Form in its entirety, including the explanation of why my sample is being tested, how genetic testing is performed and the risks associated with genetic testing. I have had the opportunity to ask my HCP questions about the information contained herein, and understand that I am entitled to a copy of this ICF. My signature below acknowledges my free consent to the Test, and to any additional consents indicated above, and such testing in no way guarantees my health, the health of an unborn child, or the health of other family members.

\_\_\_\_\_  
Family Member Signature \_\_\_\_\_ Date \_\_\_\_\_ Family Member Name \_\_\_\_\_ Relationship to Patient

**ACMG RECOMMENDED SECONDARY FINDINGS: REQUIRED ONLY FOR WES/WGS**

Since many different genes and conditions are being analyzed during the genetic Test, some findings not directly related to the reason for ordering the Test may be revealed. These findings are called "secondary" and can provide information that was not anticipated when the Test was ordered. Secondary findings are variants found in genes that are unrelated to the individual's reported clinical features. One such group of secondary findings available to individuals undergoing WES or WGS are diagnostic findings in genes defined as highly penetrant and medically actionable by the American College of Medical Genetics and Genomics. Please see below for additional information.

The American College of Medical Genetics and Genomics (ACMG), has recommended that secondary findings should be offered for a specific subset of highly penetrant and medically actionable genes associated with various inherited disorders for all individuals undergoing WGS or WES. Please refer to the latest version of the ACMG Recommendations for Reporting of Secondary Findings in Clinical Exome and Genome Sequencing for complete details of genes and conditions at [www.acmg.net](http://www.acmg.net). Medically-actionable conditions are those for which there is currently recommended treatment or preventative actions that can be taken to reduce the risk of developing the disease. An example would be hereditary cancer syndromes such as Lynch syndrome.

We are unable to guarantee that the Test will find all medically-actionable conditions for which you have a pathogenic or likely pathogenic variant. You may have a pathogenic or likely pathogenic variant for a condition in which there was little or no coverage in the Test and therefore will not be detected. Additional testing for health purposes should be discussed with your doctor or genetic counselor.

**Secondary findings will only be reported if consent is given by the Patient or Parent/Guardian.** Each individual receiving secondary findings will need to fill out the appropriate section(s) below to indicate which secondary findings that they will receive. If a box is not checked or this form is not returned, it is assumed that the applicable individual does not want to receive the corresponding secondary finding(s).

**PATIENT SECONDARY FINDINGS CONSENT**

*Not available for prenatal samples.*

Check this box if you wish to receive a report on pathogenic or likely pathogenic findings in genes defined as highly penetrant and medically actionable by the American College of Medical Genetics and Genomics.

If ACMG recommended Secondary Findings are elected above, please choose if you would like only pediatric findings, only adult findings, or both as defined by Table 1 in PMID:27854360. The lack of selection will result in return of ALL results ("both"). Please note, it is recommended that the patient be 18 years or older for the return of adult findings.

Pediatric Findings Only       Adult Findings Only       Both Pediatric and Adult Findings

Check this box if you do NOT want to receive ACMG-recommended secondary findings.

\_\_\_\_\_  
Patient Signature (or Parent/Guardian if patient is minor)

\_\_\_\_\_  
Date

\_\_\_\_\_  
Patient Name

\_\_\_\_\_  
Name and Relationship (Parent/Guardian if patient is minor)

**FAMILY MEMBER(S) SECONDARY FINDINGS CONSENT**

*Please note that this section is required if family members included as part of TRIO would like to receive secondary findings either as part of a proband report or as a standalone report.*

- Return of Secondary Findings results as part of the proband report will include only the parental inheritance of those findings reported in the proband. No other findings will be commented on. This option is not available for prenatal reports.
- Return of findings as a standalone report will include a full analysis of all selected Secondary Finding sections for each family member. A standalone family member report will only be issued if an appropriate test selection is made on the test requisition form AND this section is filled out entirely.

Check this box if you wish to receive a report on pathogenic or likely pathogenic findings in genes defined as highly penetrant and medically actionable by the American College of Medical Genetics and Genomics.

If ACMG recommended Secondary Findings are elected above, please choose if you would like only pediatric findings, only adult findings, or both as defined by Table 1 in PMID:27854360. The lack of selection will result in return of ALL results ("both"). Please note, it is recommended that the patient be 18 years or older for the return of adult findings.

Pediatric Findings Only       Adult Findings Only       Both Pediatric and Adult Findings

Check this box if you do NOT want to receive ACMG-recommended secondary findings.

\_\_\_\_\_  
Family Member Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Family Member Name

\_\_\_\_\_  
Relationship to Patient

**FAMILY MEMBER(S) SECONDARY FINDINGS CONSENT**

*Please note that this section is required if family members included as part of TRIO would like to receive secondary findings either as part of a proband report or as a standalone report.*

- Return of Secondary Findings results as part of the proband report will include only the parental inheritance of those findings reported in the proband. No other findings will be commented on. This option is not available for prenatal reports.
- Return of findings as a standalone report will include a full analysis of all selected Secondary Finding sections for each family member. A standalone family member report will only be issued if an appropriate test selection is made on the test requisition form AND this section is filled out entirely.

Check this box if you wish to receive a report on pathogenic or likely pathogenic findings in genes defined as highly penetrant and medically actionable by the American College of Medical Genetics and Genomics.

If ACMG recommended Secondary Findings are elected above, please choose if you would like only pediatric findings, only adult findings, or both as defined by Table 1 in PMID:27854360. The lack of selection will result in return of ALL results ("both"). Please note, it is recommended that the patient be 18 years or older for the return of adult findings.

Pediatric Findings Only       Adult Findings Only       Both Pediatric and Adult Findings

Check this box if you do NOT want to receive ACMG-recommended secondary findings.

\_\_\_\_\_  
Family Member Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Family Member Name

\_\_\_\_\_  
Relationship to Patient

**SUPPLEMENTAL SECONDARY FINDINGS OPTIONS: REQUIRED ONLY FOR WES/WGS**

Since many different genes and conditions are being analyzed during the genetic Test, some findings not directly related to the reason for ordering the Test may be revealed. These findings are called "secondary" and can provide information that was not anticipated when the Test was ordered. Secondary findings are variants found in genes that are unrelated to the individual's reported clinical features. In addition diagnostic findings in genes defined as highly penetrant and medically actionable by the American College of Medical Genetics and Genomics, PerkinElmer also offers individuals the ability to receive Secondary Findings from three additional categories as defined below:

- 1. Pharmacogenetic variants:** This category of Secondary Findings will include changes in the DNA that do not cause a disease but may be related to how your body processes certain medications, such as chemotherapy drugs, antipyretics, antidepressants, anticoagulants, and others. These variants may not be important to you if you are not taking the medications involved, but may tell you how well the medications will work or if you will have side effects if you do take the medications now or in the future.
- 2. Carrier status (ex. cystic fibrosis):** This category of Secondary Findings will include carrier findings for autosomal recessive conditions. A recessive condition is one in which two disease-causing variants in the same gene are required in order to show symptoms of the disease (one variant is inherited from each parent). Someone who has only one disease-causing variant does not show symptoms and is called a carrier. However, if we find a disease-causing variant in a recessive gene that is related to your disease, we will report it as a diagnostic finding. Please note that only Pathogenic or Likely Pathogenic variants will be reported if this category of Secondary Findings is selected. Further testing may be necessary to look for a second disease-causing variant in that gene not identified by WES/WGS. The Test is not designed to be a comprehensive carrier test. We are unable to guarantee that all conditions for which you are a carrier will be determined by the Test. You may be a carrier for a condition in which there was little or no coverage in the Testing and therefore will not be detected. Additional carrier testing for reproductive purposes should be discussed with your doctor or genetic counselor.
- 3. Diagnostic findings in all other disease-causing genes not related to your clinical features:** This category of Secondary Findings will include conditions that are medically-actionable but not included in the ACMG-recommended list, as well as conditions that are not medically-actionable (do not have recommended treatment or preventative measures), which may be childhood or adult onset. An example would be Alzheimer's disease. Please note that only Pathogenic or Likely Pathogenic variants will be reported if this category of Secondary Findings is selected. Furthermore, we are unable to guarantee that the Test will find all disease-causing variants in all disease-causing genes. You may have a disease-causing variant for a condition in which there was little or no coverage in the Test and therefore will not be detected. Additional testing for health purposes should be discussed with your doctor or genetic counselor.

**Secondary findings will only be reported if consent is given by the Patient or Parent/Guardian.** Each individual receiving secondary findings will need to fill out the appropriate section(s) below to indicate which secondary findings that they will receive. If a box is not checked or this form is not returned, it is assumed that the applicable individual does not want to receive the corresponding secondary finding(s).

**PATIENT SECONDARY FINDINGS CONSENT**

*Not available for prenatal samples.*

- Check this box if you wish to receive a report on pharmacogenetic variants (see category #1 above for details).
- Check this box if you wish to receive a report on carrier status – (see category #2 above for details).
- Check this box if you wish to receive a report including pathogenic or likely pathogenic findings in all other disease-causing genes (see category #3 above for details).  
If you selected to receive Secondary Findings from category #3 above, please choose if you would like only pediatric findings, only adult findings, or both. The lack of selection will result in return of ALL results ("both"). Please note, it is recommended that the patient be 18 years or older for the return of adult findings.
  - Pediatric Findings Only       Adult Findings Only       Both Pediatric and Adult Findings
- Check this box if you do NOT want to receive any of the secondary finding categories discussed on this page.

\_\_\_\_\_  
Patient Signature (or Parent/Guardian if patient is minor)

\_\_\_\_\_  
Date

\_\_\_\_\_  
Patient Name

\_\_\_\_\_  
Name and Relationship (Parent/Guardian if patient is minor)

**FAMILY MEMBER(S) SECONDARY FINDINGS CONSENT**

*Please note that this section is required if family members included as part of TRIO would like to receive secondary findings either as part of a proband report or as a standalone report.*

- *Return of Secondary Findings results as part of the proband report will include only the parental inheritance of those findings reported in the proband. No other findings will be commented on. This option is not available for prenatal reports.*
- *Return of findings as a standalone report will include a full analysis of all selected Secondary Finding sections for each family member. A standalone family member report will only be issued if an appropriate test selection is made on the test requisition form AND this section is filled out entirely.*

- Check this box if you wish to receive a report on pharmacogenetic variants (see category #1 above for details).  
This category of secondary findings for family members is only available when a standalone report is ordered for the family member. Parental inheritance of pharmacogenomic variants will not be included on a proband report.
- Check this box if you wish to receive a report on carrier status – (see category #2 above for details).
- Check this box if you wish to receive a report including pathogenic or likely pathogenic findings in all other disease-causing genes (see category #3 above for details).  
If you selected to receive Secondary Findings from category #3 above, please choose if you would like only pediatric findings, only adult findings, or both. The lack of selection will result in return of ALL results ("both"). Please note, it is recommended that the patient be 18 years or older for the return of adult findings.
  - Pediatric Findings Only       Adult Findings Only       Both Pediatric and Adult Findings
- Check this box if you do NOT want to receive any of the secondary finding categories discussed on this page.

\_\_\_\_\_  
Family Member Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Family Member Name

\_\_\_\_\_  
Relationship to Patient

**FAMILY MEMBER(S) SECONDARY FINDINGS CONSENT**

*Please note that this section is required if family members included as part of TRIO would like to receive secondary findings either as part of a proband report or as a standalone report.*

- *Return of Secondary Findings results as part of the proband report will include only the parental inheritance of those findings reported in the proband. No other findings will be commented on. This option is not available for prenatal reports.*
- *Return of findings as a standalone report will include a full analysis of all selected Secondary Finding sections for each family member. A standalone family member report will only be issued if an appropriate test selection is made on the test requisition form AND this section is filled out entirely.*

- Check this box if you wish to receive a report on pharmacogenetic variants (see category #1 above for details).  
This category of secondary findings for family members is only available when a standalone report is ordered for the family member. Parental inheritance of pharmacogenomic variants will not be included on a proband report.
- Check this box if you wish to receive a report on carrier status – (see category #2 above for details).
- Check this box if you wish to receive a report including pathogenic or likely pathogenic findings in all other disease-causing genes (see category #3 above for details).  
If you selected to receive Secondary Findings from category #3 above, please choose if you would like only pediatric findings, only adult findings, or both. The lack of selection will result in return of ALL results ("both"). Please note, it is recommended that the patient be 18 years or older for the return of adult findings.
  - Pediatric Findings Only       Adult Findings Only       Both Pediatric and Adult Findings
- Check this box if you do NOT want to receive any of the secondary finding categories discussed on this page.

\_\_\_\_\_  
Family Member Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Family Member Name

\_\_\_\_\_  
Relationship to Patient